







Accessories / Assembly kits for leak detector type D26:

Artikelnr. Part.No.	Description	Material	
42001160	<p>Assembly kit for leak detector type D25, D26, D29 connected to:</p> <p>- double walled pipes</p> <p>Consist of:</p> <ul style="list-style-type: none"> - 1 pc pressure connector - 1 pc test valve unit - connectors: pipe 1/4 inch, - for D29: connect pressure line with measuring line via separate t-connector outside tubing diameter 6 mm - material: brass 	Brass	
42001060	<p>Assembly kit for leak detector type D25, D26, D29, connected to:</p> <p>- double walled pipes</p> <p>Consist of:</p> <ul style="list-style-type: none"> - 1 pc pressure connector - 1 pc test valve unit - connectors: pipe 1 inch, - for D29: connect pressure line with measuring line via separate t-connector outside tubing diameter 6 mm - material: brass 	Brass	
42001282	<p>Manifold kit for leak detector type D25 / D26, connected to:</p> <p>- 2 double walled pipes</p> <p>Consists of:</p> <ul style="list-style-type: none"> - 2 pcs. ball valves - 2 pcs. Manometer 25 bar - Connectors for 6 mm outside tubing diameter 	Brass	
42001283	<p>Manifold kit for leak detector type D25 / D26, connected to:</p> <p>- 3 double walled pipes</p> <p>Consists of:</p> <ul style="list-style-type: none"> - 3 pcs. ball valves - 3 pcs. Manometer 25 bar - Connectors for 6 mm outside tubing diameter 	Brass	
42001284	<p>Manifold kit for leak detector type D25 / D26, connected to:</p> <p>- 4 double walled pipes</p> <p>Consists of:</p> <ul style="list-style-type: none"> - 4 pcs. ball valves - 4 pcs. Manometer 25 bar - Connectors for 6 mm outside tubing diameter 	Brass	
42001285	<p>Manifold kit for leak detector type D25 / D26, connected to:</p> <p>- 5 double walled pipes</p> <p>Consists of:</p> <ul style="list-style-type: none"> - 5 pcs. ball valves - 5 pcs. Manometer 25 bar - Connectors for 6 mm outside tubing diameter 	Brass	
42001286	<p>Manifold kit for leak detector type D25 / D26, connected to:</p> <p>- 6 double walled pipes</p> <p>Consists of:</p> <ul style="list-style-type: none"> - 6 pcs. ball valves - 6 pcs. Manometer 25 bar - Connectors for 6 mm outside tubing diameter 	Brass	

Accessories / Assembly kits for leak detector type D26:

Artikelnr. Part.No.	Description	Material	
42001287	Manifold kit for leak detector type D25 / D26 , connected to: - 7 double walled pipes Consists of: - 7 pcs. ball valves - 7 pcs. Manometer 25 bar - Connectors for 6 mm outside tubing diameter	Brass	
42001288	Manifold kit for leak detector type D25 / D26 , connected to: - 8 double walled pipes Consists of: - 8 pcs. ball valves - 8 pcs. Manometer 25 bar - Connectors for 6 mm outside tubing diameter	Brass	
42007007	Test armature for leak detector type D26, D11 for connection to the quick connector of the leak detector, consisting of - gauge 25bar - pressure Hose - connector plug	Brass	
49307034	Gauge 0-25 bar for leak detector type D25 and D26 for assembly to the leak detector into the measuring line - connectors for 6 mm (outside tubingØ) - material brass	Brass	
49307044	Gauge 0-10 bar for leak detector type D25 and D26 2/4 and 2/6 bar - for assembly to the leak detector into the measuring line - connectors for 6 mm (outside tubingØ) - material brass	Brass	
42001082	Manifold kit for leak detector type D25 / D26 , connected to: - 2 double walled pipes Consists of: - 2 pcs. ball valves - Connectors for 6 mm outside tubing diameter - without manometer	Brass	
42001083	Manifold kit for leak detector type D25 / D26 , connected to: - 3 double walled pipes Consists of: - 3 pcs. ball valves - Connectors for 6 mm outside tubing diameter - without manometer	Brass	